

From: [Miriam E. Villani](#)
To: [Kivowitz, Sharon](#)
Cc: [John L. Parker](#)
Subject: Re: New Cassel/Hicksville Groundwater Contamination Site
Date: Friday, May 6, 2022 1:44:22 PM
Attachments: [image001.png](#)
[image002.png](#)
[image001.png](#)
[image002.png](#)

Thank you. M

Miriam E. Villani
Sent from my iPhone

On May 6, 2022, at 12:44 PM, Kivowitz, Sharon <Kivowitz.Sharon@epa.gov> wrote:

I can't do 11-12:30 so I will set something up for 4:15. Talk to you then.

Sharon E. Kivowitz
Assistant Regional Counsel
New York/Caribbean Superfund Branch
Office of Regional Counsel
US Environmental Protection Agency, Region 2
290 Broadway, 17th Floor
New York, NY 10706
212-637-3183
Kivowitz.sharon@epa.gov

From: Miriam E. Villani <mvillani@sahnward.com>
Sent: Friday, May 6, 2022 12:25 PM
To: John L. Parker <jparker@sahnward.com>
Cc: Kivowitz, Sharon <Kivowitz.Sharon@epa.gov>
Subject: Re: New Cassel/Hicksville Groundwater Contamination Site

Hi. I am available from 11 to 12:30 and again after 4:00 on Tuesday. M

Miriam E. Villani
Sent from my iPhone

On May 6, 2022, at 11:58 AM, John L. Parker <jparker@sahnward.com> wrote:

Dear Sharon:

I hope you had a great time away.

Perhaps we can set a time for Tuesday, May 10, and I will defer to Miriam for times that would be convenient that day.

Thank you.

John

John Parker

Partner

Sahn Ward PLLC

Email: jparker@sahnward.com

www.sahnward.com

Nassau/Main Office: The Omni - 333 Earle Ovington Boulevard, Suite 601, Uniondale, NY 11553 Tel: 516.228.1300

Suffolk Office: 1300 Veterans Highway, Suite 100, Hauppauge, NY 11788 Tel: 631.203.4900

New York City Office: The Chrysler Building - 405 Lexington Avenue, 26th Floor, New York, NY 10174 Tel: 212.829.4375

Fax for all offices: 516.228.0038

NOTICE: This e-mail message and any attachment(s) to this e-mail message contain confidential information that may be legally privileged. If you are not the intended recipient, you must not review, transmit, convert to hard copy, copy, use or disseminate this e-mail or any attachments to it. If you have received this e-mail in error, please immediately notify us by return e-mail or by telephone at (516) 228-1300 and delete this message.



Please consider the environment before printing this email.



Sahn Ward honors the heroic first-responders, health care professionals and providers, and all the volunteers who have aided the sick and those in need during our challenging times.

From: Kivowitz, Sharon <Kivowitz.Sharon@epa.gov>

Sent: Wednesday, May 4, 2022 11:16:15 AM

To: John L. Parker <jparker@sahnward.com>; Miriam E. Villani <mvillani@sahnward.com>

Subject: RE: New Cassel/Hicksville Groundwater Contamination Site

Hi,

I'm sorry, just seeing this now. I was out for a week. Today and tomorrow are pretty busy for me. I'm available anytime Friday until 4 (with the exception of 2-3). Next week I am available all day Monday, Tuesday afternoon, and all day Wednesday. Let me know what works for you.

Thanks.

Sharon

Sharon E. Kivowitz
Assistant Regional Counsel
New York/Caribbean Superfund Branch
Office of Regional Counsel
US Environmental Protection Agency, Region 2
290 Broadway, 17th Floor
New York, NY 10706
212-637-3183
Kivowitz.sharon@epa.gov

From: John L. Parker <jparker@sahnward.com>

Sent: Friday, April 29, 2022 3:26 PM

To: Kivowitz, Sharon <Kivowitz.Sharon@epa.gov>; Miriam E. Villani
<mwillani@sahnward.com>

Subject: Re: New Cassel/Hicksville Groundwater Contamination Site

Dear Sharon:

I hope this email finds you well.

Miriam and I have discussed the current status of the case and we were hoping to speak with you next week.

Would either Monday, May 2nd or Tuesday, May 3rd work for such a call?

If so, would you suggest times that are convenient for you?

Thank you and have a great weekend.

Regards,

John

John Parker
Partner



Email: jparker@sahnward.com

www.sahnward.com

Nassau/Main Office: The Omni - 333 Earle Ovington Boulevard, Suite 601, Uniondale, NY 11553 Tel: 516.228.1300

Suffolk Office: 1300 Veterans Highway, Suite 100, Hauppauge, NY 11788 Tel: 631.203.4900

New York City Office: The Chrysler Building - 405 Lexington Avenue, 26th Floor, New York, NY 10174 Tel: 212.829.4375

Fax for all offices: 516.228.0038

NOTICE: This e-mail message and any attachment(s) to this e-mail message contain confidential information that may be legally privileged. If you are not the intended recipient, you must not review, transmit, convert to hard copy, copy, use or disseminate this e-mail or any attachments to it. If you have received this e-mail in error, please immediately notify us by return e-mail or by telephone at (516) 228-1300 and delete this message.



Please consider the environment before printing this email. 

Sahn Ward honors the heroic first-responders, health care professionals and providers, and all the volunteers who have aided the sick and those in need during our challenging times.

From: Kivowitz, Sharon <Kivowitz.Sharon@epa.gov>

Date: Monday, March 28, 2022 at 4:58 PM

To: John L. Parker <jparker@sahnward.com>, Miriam E. Villani <mwillani@sahnward.com>

Subject: RE: New Cassel/Hicksville Groundwater Contamination Site

Hi John,

Happy to talk with you. I am available to talk anytime Wednesday morning until 10:30 or after 1:00. Let me know what works for you.

Thanks.

Sharon

Sharon E. Kivowitz
Assistant Regional Counsel
New York/Caribbean Superfund Branch
Office of Regional Counsel
US Environmental Protection Agency, Region 2
290 Broadway, 17th Floor
New York, NY 10706

212-637-3183

Kivowitz.sharon@epa.gov

From: John L. Parker <jparker@sahnward.com>
Sent: Monday, March 28, 2022 4:40 PM
To: Kivowitz, Sharon <Kivowitz.Sharon@epa.gov>; Miriam E. Villani <mwillani@sahnward.com>
Cc: John L. Parker <jparker@sahnward.com>
Subject: Re: New Cassel/Hicksville Groundwater Contamination Site

Dear Sharon:

I hope this email finds you well.

Would it be possible to speak on Wednesday regarding the current status of Eastern Plume efforts?

Would around lunch time be convenient?

If not, would you suggest another time that would be? Perhaps Thursday, am?

Thank you in advance.

Regards,

John

John Parker
Partner



Email: jparker@sahnward.com

www.sahnward.com

Nassau/Main Office: The Omni - 333 Earle Ovington Boulevard, Suite 601, Uniondale, NY 11553 Tel: 516.228.1300

Suffolk Office: 1300 Veterans Highway, Suite 100, Hauppauge, NY 11788 Tel: 631.203.4900

New York City Office: The Chrysler Building - 405 Lexington Avenue, 26th Floor, New York, NY 10174 Tel: 212.829.4375

Fax for all offices: 516.228.0038

NOTICE: This e-mail message and any attachment(s) to this e-mail message contain

confidential information that may be legally privileged. If you are not the intended recipient, you must not review, transmit, convert to hard copy, copy, use or disseminate this e-mail or any attachments to it. If you have received this e-mail in error, please immediately notify us by return e-mail or by telephone at (516) 228-1300 and delete this message.

 Please consider the environment before printing this email. 

Sahn Ward honors the heroic first-responders, health care professionals and providers, and all the volunteers who have aided the sick and those in need during our challenging times.

From: Kivowitz, Sharon <Kivowitz.Sharon@epa.gov>
Date: Monday, June 7, 2021 at 8:32 AM
To: John L. Parker <jparker@sahnward.com>, Miriam E. Villani <mwillani@sahnward.com>
Cc: Vazquez, Julio <Vazquez.Julio@epa.gov>
Subject: RE: New Cassel/Hicksville Groundwater Contamination Site

Hi John,
We will include you in all future communications going forward. I was sure I forwarded the invitation to Thursday's meeting to you. I thought when I didn't see you on the call that you decided not to join. I'm happy to update you on what occurred on that call. Let me know your availability and we can set something up. The upshot was that EPA told the parties what changes to Table 3 of the PDI Work Plan we would be willing to accept. EPA will be summarizing what we discussed in a letter to be attached to our comments on the deliverables to be sent hopefully this week.

I look forward to speaking with you soon.

Sharon

Sharon E. Kivowitz
Assistant Regional Counsel
New York/Caribbean Superfund Branch
Office of Regional Counsel
US Environmental Protection Agency, Region 2
290 Broadway, 17th Floor
New York, NY 10706
212-637-3183
Kivowitz.sharon@epa.gov

From: John L. Parker <jparker@sahnward.com>

Sent: Sunday, June 6, 2021 6:07 PM

To: Kivowitz, Sharon <Kivowitz.Sharon@epa.gov>; Miriam E. Villani <mvillani@sahnward.com>

Subject: Re: New Cassel/Hicksville Groundwater Contamination Site

Dear Sharon:

Thank you for providing this copy of the email between EPA and the parties from January.

As we discussed, we ask that we be included in these communications regarding this action going forward. It is important we be included in these communications to allow us to be informed regarding what happened, so that we can better assess the interests of our client.

In addition, despite discussions regarding participation in the June 3rd call with the other responsible party, we were not included in that conversation with USEPA staff.

I ask that we set up a call to briefly discuss that call at your earliest convenience.

Thank you in advance for your consideration.

Regards,

John

John Parker
Partner

SW|SAHNWARD

Email: jparker@sahnward.com

www.sahnward.com

Nassau/Main Office: The Omni - 333 Earle Ovington Boulevard, Suite 601, Uniondale, NY 11553 Tel: 516.228.1300

Suffolk Office: 1300 Veterans Highway, Suite 100, Hauppauge, NY 11788 Tel: 631.203.4900

New York City Office: The Chrysler Building - 405 Lexington Avenue, 26th Floor, New York, NY 10174 Tel: 212.829.4375

Fax for all offices: 516.228.0038

NOTICE: This e-mail message and any attachment(s) to this e-mail message contain confidential information that may be legally privileged. If you are not the intended recipient, you must not review, transmit, convert to hard copy, copy, use or disseminate this e-mail or any attachments to it. If you have received this e-mail in error, please immediately notify us by return e-mail or by telephone at (516) 228-1300 and delete this message.



Please consider the environment before printing this email.

In our challenging times, Sahn Ward supports our heroic first-responders, health care professionals and providers, and all the volunteers who are aiding the sick and those in need.

From: Kivowitz, Sharon <Kivowitz.Sharon@epa.gov>
Date: Tuesday, May 25, 2021 at 3:49 PM
To: John L. Parker <jparker@sahnward.com>, Miriam E. Villani <mvillani@sahnward.com>
Subject: FW: New Cassel/Hicksville Groundwater Contamination Site

Sharon E. Kivowitz
Assistant Regional Counsel
New York/Caribbean Superfund Branch
Office of Regional Counsel
US Environmental Protection Agency, Region 2
290 Broadway, 17th Floor
New York, NY 10706
212-637-3183
Kivowitz.sharon@epa.gov

From: Kivowitz, Sharon
Sent: Wednesday, January 20, 2021 8:51 AM
To: Kevin Maldonado <kevinmaldonado64@yahoo.com>; Suzanne Avena <savena@garfunkelwild.com>; Phillip Landrigan (plandrigan@ccl-law.com) <plandrigan@ccl-law.com>; John Martin <jmartin@garfunkelwild.com>; Nicholas Rigano <nrigano@riganollc.com>; P. Rigano James (jrigano@riganollc.com) <jrigano@riganollc.com>
Cc: Vazquez, Julio <Vazquez.Julio@epa.gov>; Mannino, Pietro <Mannino.Pietro@epa.gov>; Doyle, James <Doyle.James@epa.gov>
Subject: New Cassel/Hicksville Groundwater Contamination Site

Regional Administrator Peter Lopez has requested that I respond to you regarding your proposal as laid out in your presentation during our October 27, 2020 teleconference. He wanted you to know how much he appreciated the opportunity to hear directly from you and to work collaboratively toward our common goals.

We have considered your presentation, and we believe there is value in further discussing your proposal to install extraction wells at the leading edge of the Eastern and Central plumes at the Site to prevent further

migration of contaminated groundwater. However, because your proposal does not appear to include a plan that would fully delineate and address significant contamination upgradient of the leading edge of the plumes within OU1, we are concerned that your proposal does not address one of EPA's principal remediation goals for EPA's OU1 remedy, which is also a requirement of CERCLA - to restore the aquifer to its beneficial use as a drinking water source within a reasonable timeframe. EPA's ongoing OU3 investigation and the PDI investigation in the Western Plume of OU1 indicate that high levels of contamination are present within the OU1 boundary. As such, your proposal to contain the groundwater contamination cannot be performed in lieu of the work required to address the remaining data gaps and remediate the contaminated groundwater in OU1.

With the above in mind, EPA is willing to work on parallel tracks with your technical teams to achieve the following: 1) re-evaluate the number and placement of wells called for in Table 3 of the PDI Workplan attached to the UAO in an effort to determine whether it may be appropriate to reduce the number of wells while still providing EPA with sufficient information to complete the design of the OU1 remedy, or to make a decision to change the OU1 remedy if the investigation indicates that a change to the remedy is warranted; and 2) continue discussing your proposals for placement of extraction wells at the leading edge of the Eastern and Central plumes and the discharge of the extracted groundwater to the POTW. Note that before EPA could consider direct discharge to the POTW, EPA will need to receive input from Nassau County regarding its views on the potential loss of this natural resource. Under your proposal, a potentially significant volume of extracted groundwater would be discharged to the POTW facility rather than being recharged to the aquifer. At other sites in Nassau County, which is located in an area with a sole source aquifer, Nassau County has raised concerns about groundwater remedial alternatives that do not include the recharge or re-injection of treated groundwater.

Depending on how the discussions proceed, and the conclusions reached, EPA will determine how to best memorialize any additional work identified in point 2, above, whether under the existing UAO or under a new enforcement instrument.

While discussions are progressing on points 1 and 2 above, within 60 days of your receipt of this email, please submit the following deliverables as required under Section 5.7 of the Statement of Work attached to the UAO: 1) Health and Safety Plan; 2) Emergency Response Plan; 3) Quality Assurance Project Plan; 4) Emergency Response Plan; and 5) Site Management Plan.

To continue these discussions or for questions on the required deliverables, please have your clients' Project Coordinator contact EPA's OU1 Remedial Project Manager, Julio Vazquez, at vazquez.julio@epa.gov or at 212-637-4323.

Sharon E. Kivowitz
Assistant Regional Counsel
New York/Caribbean Superfund Branch
Office of Regional Counsel
US Environmental Protection Agency, Region 2
290 Broadway, 17th Floor
New York, NY 10706
212-637-3183
Kivowitz.sharon@epa.gov